

ALPHA 8 SERIES FLOW WRAPPER

Get in touch with reliability



Rotary Horizontal Wrapper

FORMOST  **FUJI**

FW3400/FW3410

/ STAINLESS STEEL COVERS

FW3700/ FW3710

/ STAINLESS STEEL CONSTRUCTION



FW3400B/FW3410B

/ STAINLESS STEEL COVERS

FW3700B/ FW3710B

/ STAINLESS STEEL CONSTRUCTION



FW3400BSB/FW3410BSB / STAINLESS STEEL COVERS

FW3710BSB / STAINLESS STEEL CONSTRUCTION




ENERGY SAVING

The Alpha 8 Wrapper is designed with induction heating in the center seals which provides heat stability with less energy usage. Heating only when it is needed.



TILT DOWN FIN SEAL


By operating a lever, the center fin seal unit can tilt down without tools. Providing easy access for sanitation and maintenance.



GET IN TOUCH WITH RELIABILITY

SEALING QUALITY

Mechanical simplicity with advanced design provides proven seal quality with a wide range of sealing options available.




SWING ARM ROTARY OPTION

Increased dwell time and sealing quality at high speeds. Easily changes between swing arm and standard rotary end seals.



HIGH SPEED BOX MOTION OPTION

Innovative breakthrough in horizontal packaging, ideal for hard to seal films. Capable of packaging speeds up to 400 ppm, the high speed box motion wrapper boasts high efficiency, tight wrapping, low vibration and direct drive servos.



SANITARY DESIGN OPTION

Easy tool free disassembly of the infeed conveyor provides for thorough sanitation. Built to meet 3A standards with superior design for better runoff and less harborage.





ALPHA 8


FEATURES:

EASY FILM CHANGE / REDUCED FILM ROUTE

The re-designed film carriage has been simplified for ease of use. The compression rubber roller frame can be opened to make changing and routing the film easier and quicker. A non-contact optic sensor replaces the limit switch for end of film detection, so cleaning the sensor and changing the film can now be done easily and quickly, reducing labor and cost.



Rejection
OUT



REJECT TRACKING OPTION

The Alpha 8 Wrapper is easier to use through the auto-calculation function and by improvements to the operation panel. After basic information such as, product size and scale values are added, the Alpha 8 wrapper automatically detects and tracks product for rejection. An optional reject device can be added to eject the product from the system. No complicated settings or adjustments are necessary.



Horizontal Form Fill Seal Machine



Located in Everett, Washington, our employees, machines, and operations have helped position Formost Fuji as a leading designer and innovator in the packaging machine industry worldwide.

For over 60 years, Formost Fuji has developed strong customer loyalty through our commitment to complete customer satisfaction. That is why "Quality is First and Formost"



Formost Fuji Sales Team

FORMOST  **FUJI**

905 80th Street SW, Everett WA 98203

Phone: 425-483-9090 • Fax: 425-486-5656 • email: sales@formostfuji.com

www.formostfuji.com